



EyeSee

GSM Security Camera

Watch Your Life Anytime
from Anywhere



JABLOCOM
STAY CONNECTED

About solution

EyeSee is a wireless do-it-yourself security system. It is a complete hardware as well as software security solution. On GSM network it behaves like a smart mobile phone – makes

calls, sends SMS, MMS and data and can receive calls and SMS commands.

EyeSee has five built-in detectors and ensures permanent monitoring of indoor

or outdoor spaces with immediately sent reports.

It offers great security solution and high value added services for home as well as business users.

How it works



Main benefits

-  **All-in-one**
Everything for your safety in one package
-  **Five senses**
Five detectors guarding your property and family
-  **Stay in picture**
You know what is going on within seconds
-  **Always in reach**
Remote control anytime from anywhere
-  **Back-up & safety**
Keep your camera data in a safe place
-  **Get more for less**
Save on installation and security agency

About solution

JabloTool is a user friendly multilanguage PC / web service. It allows you access, **control and configure** your EyeSee camera. Service is available **anytime and from anywhere** – just open your web browser.

JabloTool Applications are **additional services** provided by JabloTool server. Some of them are free, some are subject to small payment. Simply top up your credit and select applications according to your needs. Applications are fully integrated in

your JabloTool account, bring new **advanced features, protect** your data and camera and **save your time and money**.

-  **Acces & Back-up**
Continuous data back-up
-  **Messenger Service**
Independent messaging
-  **Web Camera**
Share your pictures
-  **Timers**
Task plan for your cameras
-  **Watchdog**
Guard for your camera
-  **Picture Link**
Pictures "in SMS"
-  **Live Streaming**
Watch live video
-  **Flexi Limit**
Costs under control



Easy settings

- | Illustrated quick user's guide
- | Step-by-step wizard
- | Contextual help
- | Five basic pre-set profiles (HOME, OUTDOOR, GARAGE, CARE, SHOP)

Indoor and outdoor usage
(water resistant)

Web services

- | Immediate access to the watched area at www.jabltool.com

Buzzer

- | Built-in acoustic indicator

Li-Ion battery

- | Provides back up power in case of power outage

SD memory card

- | Extends memory capacity up to 32 GB

SIM holder

- | For standard GSM SIM card

GSM antenna

EDGE/UMTS/GSM module

- | Picture transfer to mobile phone via picture messaging or email
- | Data connection to monitoring servers

Tilt and touch detector

- | Protects against intruder manipulation with camera

Firmware update Over The Air (OTA)

Up to 10 numbers and 10 emails can be connected

Infrared motion detector (PIR)

- | Illuminates the scene by non-visible IR beams for camera night vision

Passive infrared (PIR) detector

- | Excellent sensitivity for human body detection

VGA camera

- | Advanced video functions (pretrigger recording, SLEEP recording)
- | CMOS chips 640 x 480

Audio: Sensitive microphone + digital signal processing (DSP)

- Detection of:
- | Glass break
 - | Door opening
 - | Noise

Motion-in-picture detector

- | DSP analysis provides excellent detection of the scene changes

Short range radio 868 MHz band

Allows cooperation with remote control and detectors
Compatible with JABLOTRON professional wireless security system

Smart socket




Smoke detector



Motion detector (PIR)




Panic button



Thermostat



Internal siren



Door opening detector



Remote control



MySafety

Complete Security Portfolio for GSM Operators

EyeSee Camera

Watch Your Life Anytime from Anywhere

- All-in-one:** everything for your safety in one package
- Five senses:** five detectors guarding your property and family
- Stay in the picture:** you know what is going on within seconds
- Always in reach:** remote control anytime from anywhere
- Back-up & safety:** keep your camera data in a safe place
- Get more for less:** save on installation and security agency



Help Me! Kit

- GSM Desktop Phone and Personal Help! Button
- Call for help when you need it
- Comfortable family phone with large buttons and display
- Save money – make all calls on one network
- Easy installation and comfortable usage



Personal Tracker

- Information where your children or pets are moving
- Position on a map or over SMS
- Geofencing event – be informed when your child or pet leaves designated area
- Emergency button – sends SOS SMS including the position to predefined number in case of emergency



Car Tracker

- Track your vehicle on a map on-line (entire Europe territory)
- Reduce worries regarding vehicle fleet usage: minimize private trips, total mileage overview, petrol consumption overview, speeding, ...
- Save company costs – pay only for data or SMS without additional costs for your own web application or service
- Protect your vehicle – be informed when your car is accessed without authorization



Basic Alarm

- Easy to install and operate
- SMS and phone call
- Expandable – cover your house according to your needs
- Security certified system – allows insurance bonuses when installed on your property
- Door opening and motion detection



Select the appropriate segments of your security circle



EyeSee Specifications

Internal alarm detectors	Glass break, passive IR, tilt and vibration, motion-in-picture, acoustic noise
Extended storage capacity	Micro SD card included; Micro SD and SDHC cards compatible up to 32 GB capacity
Picture format	JPEG, EXIF 2.2
Image resolution	VGA (640×480), QVGA (320×240), QQVGA (160×120)
Video format	MJPEG
Lens	2,9 mm lens, view angle 95°
Infra reflector	6× Infra LED, 6× 100 mW, 850 nm, emitting angle 80°
MMS support	MMS version 1.2 over WAP 2.0
Operating temperature	-20 °C to +65 °C; 25 to 75 % humidity
AC power adaptor	AC 100–240 V 50–60 Hz, DC 6 V 2 A
Back-up battery	Li-Ion battery, 1300 mAh
GSM system	GSM quad band 850/900/1800/1900 MHz for EyeSee GSM dual band 900/1800 MHz and UMTS dual band 900/2100 MHz for EyeSee 3G
GSM antenna	External GSM antenna with SMA connector
Data connectivity	EDGE class 10: max. 180 kbps DL / 120 kbps UL, GPRS class 10: max. 85.6 kbps, CS1-4 UMTS PS rate – 384 kbps DL / 384 kbps UL, UMTS CS rate – 64 kbps DL / 64 kbps UL for EyeSee 3G only
Audio monitoring	Built-in high sensitivity omni-directional microphone with DSP processing
PC connectivity	USB port 2.0
Dimension	Camera body 155×75×55 mm, 300 g; box 300×215×75 mm, 950 g