



W17U Wi-Fi Module

DATA SHEET

2019

Changes	Version	Date
Document Creation	1.0	11.03.2019

TABLE OF CONTENTS

Introduction	3
W17U Wi-Fi Module	3
Specifications	3
Customer Support.....	4

INTRODUCTION

W17U Wi-Fi Module

W17U Wi-Fi module is an add-on to the Radionet 4GT Multi-Band transmitter providing Wi-Fi connectivity through the local router.

It provides a transparent primary communication channel via Wi-Fi.

SPECIFICATIONS

Parameter	Description
Power supply voltage	10-28VDC
Current consumption	100 mA (standby) Up to 200 mA (transmitting)
Compatible with	Radionet 4GT communicator
Wi-Fi frequency	2.4 GHz
Wi-Fi protocol	802.11 b/g/n
Type of Wi-Fi antenna	RP-SMA
Security mode	WPA, WPA2, WPA mixed
Network configuration type	DHCP or Manual network configuration
Operating environment	From -10 °C to 50 °C, with relative air humidity 80% when +20 °C
Dimensions (with antenna)	18 x 3 cm

CUSTOMER SUPPORT

If you are unable to find what you're looking for in this document, then please contact us through one of our support channels below.

Customer Care & Support	
	admin@radionetmonitoring.co.nz aaron@radionetmonitoring.co.nz

For urgent support issues, please phone **0800 WIREFREE (0800 9473 3733)**